



## CERTIFICATE OF ANALYSIS

Date Issued 7/21/2021  
Customer Oxzgen, Inc  
Product Name Oxzgen Charcoal Scrub 30mg  
Formula Number H8013-3  
Batch Number BT-5L-CH041521-1  
Production Date 5/27/2021

Test Description	Specification	Results
Color	Black	Black
Appearance	Non-Transparent	Non-Transparent
Scent	Floral	Floral
Specific Gravity	$\geq 0.9$	1.05
Water Activity	n/a	n/a
Water Soluble	Soluble	Soluble
Potency	30	32.4
Viscosity cP	7233 - 10849 cP (9041 +/- 20%)	10570 Cp
pH	4.75 +/- 0.25	4.80
Micro Analysis	<100 cfu/g	<100 cfu/g

Do not store this product above 40°C (104°F). Avoid excessive heat and exposure to direct sunlight.

### CERTIFICATE OF COMPLIANCE

Chae Manufacturing certifies that a sample of this product was evaluated, tested to, and found to be in compliance with all the requirements of the purchase order and specified on referenced documents. Chae Manufacturing also certifies that the manufacturing process was carried out according to the Master Batch Record and in compliance with cGMP.

Heather Dixon

Digitally signed by Heather Dixon

11:13:22 AM 21-Jul-21

Director of Quality and Assurance

This document has been produced electronically and is valid without signature.

Chae Manufacturing, Inc.  
23300 US Highway 160  
Walsenburg, CO 81089  
719.695.5555

