

# FINISHED PRODUCT CERTIFICATE OF ANALYSIS

## Chae Manufacturing

Address: 23300 US HWY 160  
Walsenburg, CO 81089



E Mail: chaeteam@chaemanufacturing.com Phone: 719.695.5555

<b>Customer</b>	Oxzgen, Inc	<b>Customer PO#</b>	5L- PDQ080321
<b>Product #</b>	5L-PDQ Pain Spray 500mg 1oz	<b>FG COA Dt</b>	12/27/2021
<b>Product Name</b>	Oxzgen PDQ Pain Spray 500mg 1oz	<b>Packaging/Fill Lot#</b>	
<b>Batch #</b>	BT-5L- PDQ080321-1	<b>Finished Lot#</b>	K1010
<b>Manufacturing Date</b>	11/18/2021	<b>Expiration Date</b>	12/27/2023

### TEST RESULTS - CHEMISTRY

Claim	Limits	Result	Method
Color	Pink	Pink	CHAE
Appearance	Transparent	Transparent	CHAE
Scent	Menthol/Peppermint	Menthol/Peppermint	CHAE
Viscosity	<200cP	pass	Brookfield
Potency	500mg/oz	customer will test	CHAE
Specific Gravity	.83-.93	pass	CHAE
Water Soluble	Soluble	Soluble	CHAE
Type	Liquid	Liquid	CHAE

COA Created By/Date: Heather Dixon/12/27/2021

COA Verified By/Date: Heather Dixon/12/27/2021

COA Approved By/Date: Heather Dixon/12/27/2021

### CERTIFICATE OF COMPLIANCE/RELEASE FOR SHIPPING

Chae Manufacturing certifies that a sample of this product was evaluated, tested to, and found to be in compliance with all the requirements of the purchase order and specified on referenced documents. Chae Manufacturing also certifies that the manufacturing process was carried out according to the Master Batch Record and in compliance with cGMP.

# FINISHED PRODUCT CERTIFICATE OF ANALYSIS

## Chae Manufacturing

Address: 23300 US HWY 160  
Walsenburg, CO 81089



E Mail: chaeteam@chaemanufacturing.com Phone: 719.695.5555

<b>Customer</b>	Oxzgen, Inc	<b>Customer PO#</b>	5L- PDQ080321
<b>Product #</b>	5L-PDQ Pain Spray 500mg 1oz	<b>FG COA Dt</b>	12/27/2021
<b>Product Name</b>	Oxzgen PDQ Pain Spray 500mg 1oz	<b>Packaging/Fill Lot#</b>	
<b>Batch #</b>	BT-5L- PDQ080321-1	<b>Finished Lot#</b>	K1010
<b>Manufacturing Date</b>	11/18/2021	<b>Expiration Date</b>	12/27/2023

### TEST RESULTS - MICROBIAL

<b>Date Sampled Received</b>	12/27/2021	<b>Date Sampled Processed</b>	12/27/2021
<b>Date Results Reported</b>	12/27/2021	<b>Report #</b>	
<b>Test</b>	<b>Method</b>	<b>USP SPECS cfu/g</b>	<b>Laboratory Results cfu/g</b>
Total Aerobic Microbial Count	USP42;Section 62 & 1111	<100cfu/g	pass
Total Yeast & Mold Count	USP42;Section 62 & 1111	<100cfu/g	pass

COA Created By/Date: Heather Dixon/12/27/2021

COA Verified By/Date: Heather Dixon/12/27/2021

COA Approved By/Date: Heather Dixon/12/27/2021

**COA-Notes**

APPROVED

Signature/Authorized Personnel \_\_\_\_\_ Date \_\_\_\_\_

### CERTIFICATE OF COMPLIANCE/RELEASE FOR SHIPPING

Chae Manufacturing certifies that a sample of this product was evaluated, tested to, and found to be in compliance with all the requirements of the purchase order and specified on referenced documents. Chae Manufacturing also certifies that the manufacturing process was carried out according to the Master Batch Record and in compliance with cGMP.